

S35	27	(SIP adj message) and (establish\$3 or generat\$3 or creat\$3) near (contact or alias)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/12/02 15:54
S36	1	(compress\$3) near ((SIP or signal\$4) adj message) and (establish\$3 or generat\$3 or creat\$3) near (alias)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/12/02 15:56
S37	2	(compress\$3) near ((SIP or signal\$4) adj message) and (establish\$3 or generat\$3 or creat\$3) with (contact or alias or temporary)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/12/02 15:56
S38	4	(compress\$3) with ((SIP or signal\$4) adj message) and (establish\$3 or generat\$3 or creat\$3) with (contact or alias or temporary)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/12/02 15:59
S39	1203	(compress\$3) with ((SIP or signal\$4)) and (establish\$3 or generat\$3 or creat\$3 or intercept\$3 or identif\$4) with (alias or temporary)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/12/02 16:03
S40	4	(compress\$3) with ((SIP or signal\$4)) and (establish\$3 or generat\$3 or creat\$3 or intercept\$3 or identif\$4) with (alias or temporary) near contact	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/12/02 16:03
S41	4	(compress\$3) with ((SIP or signal\$4) adj message) and (establish\$3 or generat\$3 or creat\$3 or intercept\$3 or identif\$4) with (alias or temporary)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/12/02 16:04
S42	3	(compress\$3) with ((SIP or signal\$4) adj message) and (establish\$3 or generat\$3 or creat\$3 or intercept\$3 or identif\$4) with contact adj (alias or address)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/12/02 16:06
S43	3	(compress\$3) with ((SIP or signal\$4) adj message) and (establish\$3 or generat\$3 or creat\$3 or intercept\$3 or identif\$4) with contact near (alias or address)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/12/02 16:07
S44	2	(compress\$3) near ((SIP or signal\$4)) and (establish\$3 or generat\$3 or creat\$3 or intercept\$3 or identif\$4) with contact near (alias or address)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/12/02 16:07
S45	2	(compress\$3) near ((SIP or signal\$4)) and (establish\$3 or generat\$3 or creat\$3 or intercept\$3 or identif\$4) with contact near (temporary or alias or address)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/12/02 16:08

S46	3416	(compress\$3) near ((SIP or signal\$4)) and (establish\$3 or generat\$3 or creat\$3 or intercept\$3 or identif\$4) with (contact or temporary or alias or address)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/12/02 16:08
S47	1	(compress\$3) near ((SIP or signal\$4) adj address) and (establish\$3 or generat\$3 or creat\$3 or intercept\$3 or identif\$4) near (contact or temporary or alias or address)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/12/02 16:09
S48	4	(compress\$3) near ((SIP or signal\$4) adj message) and (establish\$3 or generat\$3 or creat\$3 or intercept\$3 or identif\$4) near (contact or temporary or alias or address)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/12/02 16:09
S49	12	(compress\$3) with ((SIP or signal\$4) adj message) and (establish\$3 or generat\$3 or creat\$3 or intercept\$3 or identif\$4) near (contact or temporary or alias or address)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/12/02 16:10
S50	22	(compress\$3) with ((SIP or signal\$4) adj message) and (establish\$3 or generat\$3 or creat\$3 or intercept\$3 or identif\$4) near (contact or temporary or alias or address or SIP)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/12/02 16:14
S51	40	(compress\$3) with ((SIP or signal\$4) adj message) and (establish\$3 or generat\$3 or creat\$3 or intercept\$3 or identif\$4 or INVITE or OK or REGISTER or OPTIONS or BYE or proxy) near (contact or temporary or alias or address or SIP)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/12/02 16:15
S52	9	(compress\$3) with ((SIP or signal\$4) adj message) and (establish\$3 or generat\$3 or creat\$3 or intercept\$3 or identif\$4) near (contact or temporary or alias or address or SIP) and (INVITE or OK or REGISTER or OPTIONS or BYE or proxy) near (SIP)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/12/02 16:19
S53	9	(compress\$3 or encrypt\$3) with ((SIP or signal\$4) adj message) and (establish\$3 or generat\$3 or creat\$3 or intercept\$3 or identif\$4) near (contact or temporary or alias or address or SIP) and (INVITE or OK or REGISTER or OPTIONS or BYE or proxy) near (SIP)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/12/02 16:19

S54	10	(compress\$3 or encrypt\$3) with ((SIP or signal\$4) near message) and (establish\$3 or generat\$3 or creat\$3 or intercept\$3 or identif\$4) near (contact or temporary or alias or address or SIP) and (INVITE or OK or REGISTER or OPTIONS or BYE or proxy) near (SIP)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/12/02 16:23
S55	24	(compress\$3 or encrypt\$3) with ((SIP or signal\$4 or session) near message) and (establish\$3 or generat\$3 or creat\$3 or intercept\$3 or identif\$4) near (contact or temporary or alias or address or SIP) and (INVITE or OK or REGISTER or OPTIONS or BYE or proxy) near (SIP)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/12/02 16:23
S57	0	@ad<"20031120" and proxy with (generat\$3 or establish\$3 or creat\$3 or associat\$3 or map\$4 or link\$3) with alias with (mobile or cell\$4 or portable) near (device or unit or contact or address)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/01 18:19
S58	13	@ad<"20031120" and (proxy or server or SIP) same (generat\$3 or establish\$3 or creat\$3 or associat\$3 or map\$4 or link\$3) with alias with (mobile or cell\$4 or portable) near (device or unit or contact or address)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/01 18:23
S59	17	@ad<"20031120" and (proxy or server or SIP) and (generat\$3 or establish\$3 or creat\$3 or associat\$3 or map\$4 or link\$3) with alias with (mobile or cell\$4 or portable) adj (device or unit or contact or address)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/01 18:35
S60	10	@ad<"20031120" and (through or thru) near (proxy or server or SIP) and (generat\$3 or establish\$3 or creat\$3 or associat\$3 or map\$4 or link\$3) with alias same (mobile or cell\$4 or portable) adj (device or unit or contact or address)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/01 18:37
S61	41	@ad<"20031120" and (through or thru) near (proxy or server or SIP) and (generat\$3 or establish\$3 or creat\$3 or associat\$3 or map\$4 or link\$3) with alias and (mobile or cell\$4 or portable) adj (device or unit or contact or address)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/01 18:40

S62	0	@ad<"20031120" and (through or thru) near (proxy or server or SIP) same (generat\$3 or establish\$3 or creat\$3 or associat\$3 or map\$4 or link\$3) with alias and (mobile or cell\$4 or portable) adj (device or unit or contact or address)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/01 18:37
S63	0	@ad<"20031120" and (generat\$3 or creat\$3 or establish\$3 or subtitut\$3 or associat\$3 or link\$3) with alias with (SIP adj address)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/01 18:42
S64	0	@ad<"20031120" and (generat\$3 or creat\$3 or establish\$3 or subtitut\$3 or associat\$3 or link\$3) with alias with ((SIP or mobile or cell\$4) adj address)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/01 18:42
S65	0	@ad<"20031120" and (generat\$3 or creat\$3 or establish\$3 or subtitut\$3 or associat\$3 or link\$3) with alias same ((SIP or mobile or cell\$4) adj address)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/01 18:42
S66	0	@ad<"20031120" and (generat\$3 or creat\$3 or establish\$3 or subtitut\$3 or associat\$3 or link\$3) same alias near ((SIP or mobile or cell\$4) adj address)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/01 18:43
S67	0	@ad<"20031120" and alias near ((SIP or mobile or cell\$4) adj address)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/01 18:43
S68	4	@ad<"20031120" and alias with ((SIP or mobile or cell\$4) adj address)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/01 18:44
S69	4	@ad<"20031120" and alias same ((SIP or mobile or cell\$4) adj address)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/01 18:46
S70	201	@ad<"20031120" and (generat\$3 or creat\$3 or establish\$3 or associat\$3 or link\$3) same (alias or temporary or new or modif\$4) same ((SIP or mobile or cell\$4) adj address)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/01 18:46
S71	28	@ad<"20031120" and (generat\$3 or creat\$3 or establish\$3 or associat\$3 or link\$3) same (alias or temporary or new or modif\$4) same ((SIP or mobile) adj address)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/01 19:13
S72	18	@ad<"20031120" and (alias or modif\$4) same ((SIP or mobile) adj address)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/01 19:16

S73	9	@ad<"20031120" and (modif\$4 or associat\$3 or establish\$3 or generat\$3 or creat\$3) same (alias or new or temporary or modif\$4) with ((SIP) adj address)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/02 17:01
S76	0	@ad<"20031120" and (presence near proxy) same advertis\$3 same (message near compress\$3) same mobile	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/02 17:03
S77	0	@ad<"20031120" and (presence near proxy) same advertis\$3 same (message near compress\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/02 17:02
S78	0	@ad<"20031120" and (presence near proxy) same advertis\$3 and (message near compress\$3) same mobile	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/02 17:02
S79	0	@ad<"20031120" and (presence with proxy) same advertis\$3 same (message near compress\$3) same mobile	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/02 17:03
S80	22	@ad<"20031120" and (presence with proxy) same advertis\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/02 17:13
S81	17	@ad<"20031120" and (presence with proxy) same advertis\$3 and (SIP or mobile or compress\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/02 17:03
S82	1	"20050097200" and advertis\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/02 17:15
S83	1	10/717769 and advertis\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/02 17:10
S84	20	@ad<"20031120" and (presence with proxy) with (broadcast\$3 or advertis\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/02 17:25
S85	1	"20050097200" and (advertis\$3 or broadcast\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/02 17:16
S86	1	"20050097200" and (advertis\$3 or broadcast\$3 or proxy or registrar)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/02 17:18

S87	1	"20030120813" and (advertis\$3 or broadcast\$3 or proxy or registrar)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/02 17:18
S88	0	@ad<"20031120" and (presence with proxy) same (broadcast\$3 or advertis\$3) and SIP and compress\$3 near message	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/02 17:25
S89	0	@ad<"20031120" and (presence with proxy) same (broadcast\$3 or advertis\$3) and SIP and compress\$3 with message	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/02 17:25
S90	1	@ad<"20031120" and (presence with proxy) same (broadcast\$3 or advertis\$3) and SIP	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/02 17:32
S91	1	@ad<"20031120" and (presence with proxy) same (broadcast\$3 or advertis\$3) and (SIP or (compress\$3 near message))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/02 17:34
S92	16	@ad<"20031120" and (presence with (server or proxy)) same (broadcast\$3 or advertis\$3) and (SIP or (compress\$3 near message))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/02 17:34